

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.07.2022

Version number 1

Revision: 21.07.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **ULTRA SCENT SECRET**

UFI: N910-U0PD-R002-RSGW

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture:

Air freshener liquid

Professional use

Consumers

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Prime Solutions

2 Deligiorgi str.

174 56, Alimos, Greece

Tel.: +30 2109902641

Fax: +30 2109945660

e-mail: info@primesolutions.gr

website: www.primesolutions.gr

Supplier/Distributor

Spring Air

Deligiorgi 2 & Ionias

174 56 Alimos, Athens, Greece

Tel: +30 2109734805

Fax: +30 2109945660

e-mail: info@springair.gr

website: www.springair.gr

1.4 Emergency telephone number:



European Emergency Tel.: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:



GHS02 flame

Flam. Liq. 2

H225 Highly flammable liquid and vapour.



GHS07

Eye Irrit. 2

H319 Causes serious eye irritation.

Skin Sens. 1

H317 May cause an allergic skin reaction.

(Contd. on page 2)

EN

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.07.2022

Version number 1

Revision: 21.07.2022

Trade name: ULTRA SCENT SECRET

(Contd. of page 1)

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements**Labelling according to Regulation EC No 1272/2008 CLP:**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:

GHS02 GHS07

Signal word: Danger**Hazard-determining components of labelling:**

4-(4-hydroxy-4-methylpentyl)cyclohex-3-enecarbaldehyde

piperonal

hexyl salicylate

Acetic acid, anhydride, reaction products with 1,5,10-trimethyl-1,5,9-cyclododecatriene

Hazard statements:

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Determination of endocrine-disrupting properties**

CAS: 1222-05-5 galaxolide

List II

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Description:** Mixture consisting of the following hazardous ingredients:

(Contd. on page 3)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.07.2022

Version number 1

Revision: 21.07.2022

Trade name: ULTRA SCENT SECRET

(Contd. of page 2)

Ingredients according Regulation (EU) 2020/878:

CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43-XXXX	ethanol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319	50-100%
CAS: 1222-05-5 EINECS: 214-946-9 Index number: 603-212-00-7 Reg.nr.: 01-2119488227-29-XXXX	galaxolide ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≥0.25-<2.5%
CAS: 31906-04-4 EINECS: 250-863-4 Index number: 605-040-00-8	4-(4-hydroxy-4-methylpentyl)cyclohex-3-enecarbaldehyde ⚠ Skin Sens. 1A, H317	≥0.1-<1%
CAS: 120-57-0 EINECS: 204-409-7	piperonal ⚠ Skin Sens. 1, H317	≥0.1-<1%
CAS: 2050-08-0 EINECS: 218-080-2	Pentyl salicylate ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302	≥0.025-<0.25%
CAS: 6259-76-3 EINECS: 228-408-6	hexyl salicylate ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Sens. 1, H317	≥0.1-<0.25%
CAS: 65405-77-8 EINECS: 265-745-8 Reg.nr.: 01-2119987320-37-XXXX	cis-3-Hexenyl salicylate ⚠ Aquatic Acute 1, H400	<0.25%
CAS: 144020-22-4 ELINCS: 482-330-9	Acetic acid, anhydride, reaction products with 1,5,10-trimethyl-1,5,9-cyclododecatriene ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Sens. 1, H317	≥0.1-<0.25%

SECTION 4: First aid measures**4.1 Description of first aid measures****General information:**

Take affected persons out into the fresh air.

Seek immediate medical advice.

After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet. Notify physician.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Wash the skin immediately with soap and water.

In case of skin irritation, consult a physician.

After eye contact:

Avoid strong water jet-risk of cornea damage, consult a doctor.

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

(Contd. on page 4)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.07.2022

Version number 1

Revision: 21.07.2022

Trade name: ULTRA SCENT SECRET

(Contd. of page 3)

Continue to rinse for 15 minutes.

Get medical attention if irritation occurs.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

Hazards May cause an allergic skin reaction.**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents:**CO₂, powder or water spray. Fight larger fires with water spray.

Foam

Sand or soil

5.2 Special hazards arising from the substance or mixture No further relevant information available.**5.3 Advice for firefighters****Protective equipment:**

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Wear eye protection.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

6.1.1 For non-emergency personnel Avoid contact with dripping or leaking material**6.1.2 For emergency responders**

Wear protective equipment. Keep unprotected persons away.

First-aid responders must wear protective clothing, gloves, goggles and respiratory device with filter type A.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Prevent the product from entering sewers, rivers or the aquatic environment.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

— EN —

(Contd. on page 5)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.07.2022

Version number 1

Revision: 21.07.2022

Trade name: ULTRA SCENT SECRET

(Contd. of page 4)

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Open and handle receptacle with care.

Handle with care. Avoid jolting, friction and impact.

Ensure good ventilation.

Avoid contact with eyes, skin and clothing.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Do not spray onto a naked flame or any incandescent material.

Flammable gas-air mixtures may form in empty receptacles.

Keep it in a dry, cool, well ventilated, fixed in advance place, away from sources of heat, flames, ignition and direct sunlight.

7.2 Conditions for safe storage, including any incompatibilities**Storage:** Store in cool, dry conditions in well sealed receptacles.**Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Provide ventilation for receptacles.

Information about storage in one common storage facility: Not required.**Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

7.3 Specific end use(s) No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 64-17-5 ethanol**WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm**CAS: 57-55-6 Propane-1,2-diol**WEL (Great Britain) Long-term value: 474* 10** mg/m³, 150* ppm
*total vapour and particulates **particulates**CAS: 84-66-2 diethyl phthalate**WEL (Great Britain) Short-term value: 10 mg/m³
Long-term value: 5 mg/m³**DNELs**

Propane-1,2-diol cas number: 57-55-6

Workers (long-term systemic effects), inhalation: 168 mg/m³Workers (long-term local effects), inhalation: 10 mg/m³General population (long-term systemic effects), inhalation: 50 mg/m³

General population (long-term systemic effects), dermal: 213 mg / kg bw / day

General population (long-term systemic effects), oral: 85 mg / kg bw / day

General population (long-term local effects), inhalation: 10 mg/m³

(Contd. on page 6)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.07.2022

Version number 1

Revision: 21.07.2022

Trade name: ULTRA SCENT SECRET

(Contd. of page 5)

PNECs

Propane-1,2 -diol cas number: 57-55-6

Fresh water: 260 mg/l

Marine water: 26 mg/l

Intermittent releases: 183 mg/l

STP: 20000 mg/l

Fresh water sediment: 572 mg/kg dw

Marine sediment: 57.2 mg/kg dw

Soil: 50 mg/kg dw

DNEL Workers Long term exposure local effects

Ethanol (CAS 64-17-5)

Inhalation: 1900 mg/m³**DNEL Workers Long term exposure systemic effects**

Ethanol (CAS 64-17-5)

Inhalation: 950 mg/m³

Skin Contact: 343 mg/kg bw/day

DNEL consumers Acute/short term exposure Local effects

Ethanol (CAS 64-17-5)

Inhalation : 950 mg/m³**DNEL Consumers Long-term exposure systemic effects**

Ethanol (CAS 64-17-5)

Inhalation: 114 mg/m³

Skin Contact: 206 mg/kg bw/day

8.2 Exposure controls**8.2.1. Appropriate engineering controls** Provide adequate ventilation.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In conditions of inadequate ventilation, use an appropriate respirator.

Hand protection

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 7)

— EN —

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.07.2022

Version number 1

Revision: 21.07.2022

Trade name: ULTRA SCENT SECRET

(Contd. of page 6)

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection

Tightly sealed goggles (EN 166).

Body protection:

Protective work clothing

Environmental exposure controls Do not release the product into the environment without control.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties**General Information**

Physical state	Liquid
Colour:	Colorless or light yellow
Odour:	Characteristic
Odour threshold:	Not determined
Flammability	Highly flammable.
Lower and upper explosion limit	
Lower:	Not determined
Upper:	Not determined
Flash point:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
pH	Not determined
Viscosity:	
Kinematic viscosity	Not determined
Dynamic:	Not determined
Solubility	
water:	Not determined
Partition coefficient n-octanol/water (log value)	Not determined
Vapour pressure:	Not determined
Density and/or relative density	
Density:	Not determined
Relative density	Not determined
Vapour density	Not determined

9.2 Other information**Appearance:**

Form: Liquid

(Contd. on page 8)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.07.2022

Version number 1

Revision: 21.07.2022

Trade name: ULTRA SCENT SECRET

(Contd. of page 7)

Important information on protection of health and environment, and on safety.

Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Not determined.
Cloud point / clarification point:	
Oxidising properties	Not oxidising
Evaporation rate	Not determined

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity**10.1 Reactivity** Stable under normal conditions**10.2 Chemical stability** Material is stable under normal conditions.**Thermal decomposition / conditions to be avoided**

To avoid thermal decomposition do not overheat.

Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.**10.4 Conditions to avoid** No further relevant information available.**10.5 Incompatible materials** Oxidizing agents**10.6 Hazardous decomposition products** No dangerous decomposition products known.**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity** Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:**

(CAS: 57-55-6) Propane-1,2-diol

LD50, oral, rat: 22.000 mg/kg

LC50 (2h), inhalation, rabbit: >317 mg/L

LD50, dermal, rabbit: >2.000 mg/kg

(Contd. on page 9)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.07.2022

Version number 1

Revision: 21.07.2022

Trade name: ULTRA SCENT SECRET

(Contd. of page 8)

CAS: 64-17-5 ethanol

Oral	LD50	7,060 mg/kg (rat)
Inhalative	LC50/4 h (vapour)	20,000 mg/l (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.**Serious eye damage/irritation** Causes serious eye irritation.**Respiratory or skin sensitisation** May cause an allergic skin reaction.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**Additional toxicological information:****Repeated dose toxicity** Based on available data, the classification criteria are not met.**11.2 Information on other hazards****Endocrine disrupting properties**

CAS: 1222-05-5	galaxolide	List II
CAS: 118-58-1	benzyl salicylate	List II

SECTION 12: Ecological information**12.1 Toxicity****Aquatic toxicity:**

Propane-1,2-diol cas number: 57-55-6

LC50 Oncorhynchus mykiss, 96 h: 40.613 mg/l

LC50 Ceriodaphnia dubia, 48 h: 18.340 mg/l

LC50 Mysidopsis bahia, 96 h: 18.800 mg/l

ErC50 Selenastrum capricornutum, 96 h: 19.000 mg/l

ErC50 Skeletonema costatum, 96 h: 19.100 mg/l

Long-term toxicity to aquatic invertebrates

NOEC (7 days) 13.02 - 29 g/L

Toxicity to microorganisms

EC10 or NOEC for microorganisms 20 g/L

12.2 Persistence and degradability

(CAS: 64-17-5) Ethanol

84% in 20 days

Biodegradable

12.3 Bioaccumulative potential No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.**12.7 Other adverse effects****Remark:** Harmful to fish

(Contd. on page 10)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.07.2022

Version number 1

Revision: 21.07.2022

Trade name: ULTRA SCENT SECRET

(Contd. of page 9)

Additional ecological information:**General notes:**

The product contains materials that are harmful to the environment.
 Harmful to aquatic organisms

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Recommendation**

Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

European waste catalogue

HP3	Flammable
HP4	Irritant - skin irritation and eye damage
HP14	Ecotoxic

Uncleaned packaging:**Recommendation:**

Disposal must be made according to official regulations.
 Packaging may be reused or recycled after cleaning.

Recommended cleansing agents: Water, if necessary together with cleansing agents.**SECTION 14: Transport information****14.1 UN number or ID number**

ADR, IMDG, IATA

UN1993

14.2 UN proper shipping name

ADR

1993 FLAMMABLE LIQUID, N.O.S.

IMDG, IATA

FLAMMABLE LIQUID, N.O.S.

14.3 Transport hazard class(es)

ADR, IMDG, IATA



Class

3 Flammable liquids.

Label

3

(Contd. on page 11)

EN

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.07.2022

Version number 1

Revision: 21.07.2022

Trade name: ULTRA SCENT SECRET

(Contd. of page 10)

14.4 Packing group
ADR, IMDG, IATA

I

14.5 Environmental hazards:
Marine pollutant:

No

14.6 Special precautions for user
Hazard identification number (Kemler code):
EMS Number:
Stowage Category

Warning: Flammable liquids.

30

F-E,S-E

E

14.7 Maritime transport in bulk according to IMO
instruments

Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ)
Excepted quantities (EQ)

0

Code: E3

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 300 ml

Transport category

1

Tunnel restriction code

D/E

IMDG

Limited quantities (LQ)
Excepted quantities (EQ)

0

Code: E3

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 300 ml

UN "Model Regulation":

UN 1993 FLAMMABLE LIQUID, N.O.S. 3, I

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

Directive 2012/18/EU

Named dangerous substances - ANNEX I Does not contain named substances.

Seveso category P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 12)

EN

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.07.2022

Version number 1

Revision: 21.07.2022

Trade name: ULTRA SCENT SECRET

(Contd. of page 11)

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

CAS: 120-57-0 | piperonal

1

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

CAS: 120-57-0 | piperonal

1

National regulations:**Other regulations, limitations and prohibitive regulations****Substances of very high concern (SVHC) according to REACH, Article 57**

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Department issuing SDS:

SUSTCHEM S.A.

REACH & Chemical Services Department

A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece

T: +30 210 8252510 | F: +30 210 8252575

W: www.sustchem.gr | E: info@suschem.gr

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 13)

EN

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.07.2022

Version number 1

Revision: 21.07.2022

Trade name: ULTRA SCENT SECRET

(Contd. of page 12)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

— EN —