

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 05.04.2023

Version number 1

Revision: 05.04.2023

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

**Trade name:** ULTRA SCENT VANILLA

**UFI:** SRA0-H0M2-E00H-HAM0

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture:**

Air freshener liquid

Professional & Consumer use.

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

Prime Solutions

2 Deligiorgi str.

174 56, Alimos, Greece

Tel.: +30 2109902641

Fax: +30 2109945660

e-mail: info@primesolutions.gr

website: www.primesolutions.gr

**Supplier/Distributor**

Spring Air

Deligiorgi 2 & Ionias

174 56 Alimos, Athens, Greece

Tel: +30 2109734805

Fax: +30 2109945660

e-mail: info@springair.gr

website: www.springair.gr

**1.4 Emergency telephone number:**



European Emergency Tel.: 112

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation EC No 1272/2008 CLP:**



GHS02 flame

Flam. Liq. 3

H226 Flammable liquid and vapour.

(Contd. on page 2)

EN

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 05.04.2023

Version number 1

Revision: 05.04.2023

Trade name: ULTRA SCENT VANILLA

(Contd. of page 1)



GHS07

Eye Irrit. 2      H319 Causes serious eye irritation.

Aquatic Chronic 3    H412 Harmful to aquatic life with long lasting effects.

**2.2 Label elements****Labelling according to Regulation EC No 1272/2008 CLP:**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms:**

GHS02    GHS07

**Signal word:** Warning**Hazard statements:**

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P102      Keep out of reach of children.

P210      Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P273      Avoid release to the environment.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313    If eye irritation persists: Get medical advice/attention.

P403+P235    Store in a well-ventilated place. Keep cool.

P501      Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:**EUH208 Contains Coumarin,  $\alpha$ -hexylcinnamaldehyde, Gurjun oil, 3,7-dimethylnona-1,6-dien-3-ol. May produce an allergic reaction.**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Determination of endocrine-disrupting properties**

CAS: 1222-05-5	galaxolide	List II
CAS: 1506-02-1	1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid)	List II

— EN —

(Contd. on page 3)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 05.04.2023

Version number 1

Revision: 05.04.2023

Trade name: ULTRA SCENT VANILLA

(Contd. of page 2)

**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:** Mixture: consisting of the following components.**Ingredients according Regulation (EU) 2020/878:**

CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43-XXXX	ethanol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319	≥50-<70%
CAS: 91-64-5 EINECS: 202-086-7	Coumarin ⚠ Acute Tox. 4, H302; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	≥0.1-<1%
CAS: 101-86-0 EINECS: 202-983-3	α-hexylcinnamaldehyde ⚠ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ⚠ Skin Sens. 1B, H317	≥0.1-<1%
CAS: 1222-05-5 EINECS: 214-946-9 Index number: 603-212-00-7 Reg.nr.: 01-2119488227-29-XXXX	galaxolide ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≥0.1-<1%
CAS: 1506-02-1 EINECS: 216-133-4 Reg.nr.: 01-2119539433-40-XXXX	1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl) ethan-1-one (Fixolid) ⚠ Aquatic Acute 1, H400; ⚠ Acute Tox. 4, H302	≥0.1-<1%
CAS: 8030-55-5 EINECS: 232-444-8	Gurjun oil ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Sens. 1B, H317	≥0.1-<1%
CAS: 10339-55-6 EINECS: 233-732-6 Reg.nr.: 01-2119969272-32-XXXX	3,7-dimethylnona-1,6-dien-3-ol ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	≥0.1-<1%

**Additional information:** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:**

Take affected persons out into the fresh air.

Seek immediate medical advice.

**After inhalation:**

If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

**After skin contact:**

Remove contaminated clothing.

Wash the skin immediately with soap and water.

(Contd. on page 4)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 05.04.2023

Version number 1

Revision: 05.04.2023

**Trade name: ULTRA SCENT VANILLA**

(Contd. of page 3)

In case of skin irritation, consult a physician.

**After eye contact:**

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for 15 minutes.

Get medical attention if irritation occurs.

Avoid strong water jet-risk of cornea damage, consult a doctor.

**After swallowing:**

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray.

Foam

Sand or soil

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

**5.3 Advice for firefighters****Protective equipment:**

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Cool adjacent tanks by spraying water at a safe distance.

**Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

Avoid contact with skin and eyes.

Keep away from ignition sources.

**6.1.1 For non-emergency personnel** Avoid contact with dripping or leaking material

**6.1.2 For emergency responders**

First-aid responders must wear protective clothing, gloves, goggles and respiratory device with filter type A.

**6.2 Environmental precautions:**

Prevent the product from entering sewers, rivers or the aquatic environment.

Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

Dispose contaminated material as waste according to section 13.

Send for recovery or disposal in suitable receptacles.

**6.4 Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 5)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 05.04.2023

Version number 1

Revision: 05.04.2023

Trade name: ULTRA SCENT VANILLA

(Contd. of page 4)

See Section 13 for disposal information.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Open and handle receptacle with care.  
 Handle with care. Avoid jolting, friction and impact.  
 Ensure good ventilation.  
 Avoid contact with eyes, skin and clothing.  
 Wash your hands thoroughly after handling.  
 Wash contaminated clothing before reuse.  
 Do not eat, drink or smoke during the usage of the product.

**Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.  
 Do not spray onto a naked flame or any incandescent material.  
 Flammable gas-air mixtures may form in empty receptacles.  
 Keep it in a dry, cool, well ventilated, fixed in advance place, away from sources of heat, flames, ignition and direct sunlight.

**7.2 Conditions for safe storage, including any incompatibilities****Storage:** Store in cool, dry conditions in well sealed receptacles.**Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Provide ventilation for receptacles.

**Information about storage in one common storage facility:** Store away from oxidising agents.**Further information about storage conditions:**

Keep container tightly sealed.

Protect from heat and direct sunlight.

Keep away from children

**7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 64-17-5 ethanol**WEL (Great Britain) Long-term value: 1920 mg/m<sup>3</sup>, 1000 ppm**CAS: 57-55-6 Propane-1,2-diol**WEL (Great Britain) Long-term value: 474\* 10\*\* mg/m<sup>3</sup>, 150\* ppm  
 \*total vapour and particulates \*\*particulates**CAS: 84-66-2 diethyl phthalate**WEL (Great Britain) Short-term value: 10 mg/m<sup>3</sup>  
 Long-term value: 5 mg/m<sup>3</sup>

(Contd. on page 6)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 05.04.2023

Version number 1

Revision: 05.04.2023

Trade name: ULTRA SCENT VANILLA

(Contd. of page 5)

**DNEL Workers Long term exposure local effects**

Ethanol (CAS 64-17-5)

Inhalation: 1900 mg/m<sup>3</sup>**DNEL Workers Long term exposure systemic effects**

Ethanol (CAS 64-17-5)

Inhalation: 950 mg/m<sup>3</sup>

Skin Contact: 343 mg/kg bw/day

**DNEL consumers Acute/short term exposure Local effects**

Ethanol (CAS 64-17-5)

Inhalation : 950 mg/m<sup>3</sup>**DNEL Consumers Long-term exposure systemic effects**

Ethanol (CAS 64-17-5)

Inhalation: 114 mg/m<sup>3</sup>

Skin Contact: 206 mg/kg bw/day

**8.2 Exposure controls****8.2.1. Appropriate engineering controls** Provide adequate ventilation.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with skin and eyes.

Wash contaminated clothes before reusing them.

Do not eat, drink or smoke while using the product.

**Respiratory protection:** Not necessary if room is well-ventilated.**Hand protection**

Wear suitable gloves (EN 374)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

**Eye/face protection**

Tightly sealed goggles (EN 166).

(Contd. on page 7)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 05.04.2023

Version number 1

Revision: 05.04.2023

Trade name: ULTRA SCENT VANILLA

(Contd. of page 6)

**Body protection:**

Protective work clothing

**Environmental exposure controls** Do not release the product into the environment without control.**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information**

<b>Physical state</b>	Liquid
<b>Colour:</b>	Colorless to yellowish
<b>Odour:</b>	Characteristic of the perfume
<b>Odour threshold:</b>	Not determined
<b>Boiling point or initial boiling point and boiling range</b>	78.3 °C (CAS: 64-17-5 ethanol)
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	3.5 Vol % (CAS: 64-17-5 ethanol)
<b>Upper:</b>	15 Vol % (CAS: 64-17-5 ethanol)
<b>Flash point:</b>	23 °C (ISO 2719A/02)
<b>Auto-ignition temperature:</b>	Not determined
<b>Decomposition temperature:</b>	Not determined
<b>pH</b>	Not determined
<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not determined
<b>Kinematic viscosity</b>	
<b>Dynamic:</b>	Not determined
<b>Solubility</b>	
<b>water:</b>	Not determined
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined
<b>Vapour pressure:</b>	Not determined
<b>Vapour pressure:</b>	
<b>Density and/or relative density</b>	
<b>Density:</b>	Not determined
<b>Relative density</b>	Not determined
<b>Vapour density</b>	Not determined

**9.2 Other information****Appearance:****Form:** Liquid**Important information on protection of health and environment, and on safety.****Ignition temperature:** Product is not selfigniting.**Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.**Cloud point / clarification point:****Oxidising properties** Not oxidising**Evaporation rate** Not determined

(Contd. on page 8)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 05.04.2023

Version number 1

Revision: 05.04.2023

Trade name: ULTRA SCENT VANILLA

(Contd. of page 7)

**Information with regard to physical hazard classes**

<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Flammable liquid and vapour.
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void
<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	Void
<b>Desensitised explosives</b>	Void

**SECTION 10: Stability and reactivity****10.1 Reactivity** Stable under normal conditions**10.2 Chemical stability** Material is stable under normal conditions.**Thermal decomposition / conditions to be avoided**

To avoid thermal decomposition do not overheat.

Stable at environment temperature.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.**10.4 Conditions to avoid** Avoid heat, flames, sparks, other sources of ignition.**10.5 Incompatible materials** Oxidizing agents**10.6 Hazardous decomposition products** No dangerous decomposition products known.**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity** Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:**

(CAS: 1222-05-5) galaxolid

Oral LD50 (rat): &gt; 4640 mg/kg

Dermal, LD50 (rat): &gt;10000 mg/kg

(CAS: 57-55-6) Propane-1,2-diol

LD50, oral, rat: 22,000 mg/kg

LC50 (2h), inhalation, rabbit: &gt;317 mg/L

LD50, dermal, rabbit: &gt;2,000 mg/kg

**CAS: 64-17-5 ethanol**

Oral	LD50	10,470 mg/kg (rat)
Dermal	LD50	17,100 mg/kg (rabbit)

(Contd. on page 9)



**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 05.04.2023

Version number 1

Revision: 05.04.2023

Trade name: ULTRA SCENT VANILLA

(Contd. of page 8)

Inhalative	LC50/4 h (vapour)	117-125 mg/l (rat)
<b>CAS: 91-64-5 Coumarin</b>		
Oral	LD50	293 mg/kg (rat)

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.**Serious eye damage/irritation** Causes serious eye irritation.**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity**

(CAS: 64-17-5) ethanol

Fertility:

NOAEL (oral, mouse) = 13,8 g/kg (similar. OECD 416))

NOAEC (inhalation, rat) &gt;16,000 ppm

RESIDUAL TOXICITY (similar. OECD 414):

NOAEL (oral) = 5.2 g/kgbw/d

NOAEC (inhalation) = 39mg/l

Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**Additional toxicological information:****Repeated dose toxicity** Based on available data, the classification criteria are not met.**11.2 Information on other hazards****Endocrine disrupting properties**

CAS: 1222-05-5	galaxolide	List II
CAS: 1506-02-1	1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid)	List II

**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:**

Propane-1,2-diol cas number: 57-55-6

LC50 Oncorhynchus mykiss, 96 h: 40.613 mg/l

LC50 Ceriodaphnia dubia, 48 h: 18.340 mg/l

LC50 Mysidopsis bahia, 96 h: 18.800 mg/l

ErC50 Selenastrum capricornutum, 96 h: 19.000 mg/l

ErC50 Skeletonema costatum, 96 h: 19.100 mg/l

Long-term toxicity to aquatic invertebrates

NOEC (7 days) 13.02 - 29 g/L

Toxicity to microorganisms

EC10 or NOEC for microorganisms 20 g/L

(CAS: 1222-05-5) galaxolid

Acute fish toxicity: LC50: 1.36 mg/l, 96 h, Lepomis macrochirus

Acute pain toxicity: ErC50: 0.854 mg/l, Pseudokirchnerella subcapitata

Acute crustacean toxicity: EC50: 0.47 mg/l, 48 h, Acartia tonsa

Toxicity to fish: NOEC: 0.093 mg/l, 21 d, Lepomis macrochirus

(Contd. on page 10)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 05.04.2023

Version number 1

Revision: 05.04.2023

**Trade name: ULTRA SCENT VANILLA**

(Contd. of page 9)

**12.2 Persistence and degradability**

(CAS: 64-17-5) Ethanol

84% in 20 days

Biodegradable

(CAS: 1222-05-5) 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno [5,6-c] pyran; galaxolide; (HHCB)

Method: OECD Guideline 301 B

Result: 2% in 28 days

Hardly biodegradable (according to OECD criteria)

**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil**

CAS: 121-33-5 Vanillin

Koc = 130

Absorption is high

Henry = 2.128E-4 Pa · m<sup>3</sup> / mol

It is not dry soil

It is not wet soil

If released into the air or water, the product will disperse quickly. If released to the ground, it will evaporate rapidly. The product is volatile and water soluble. If released to the environment it will be dispersed in air and water. The product is poorly absorbed into soil or sediments.

**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.**12.7 Other adverse effects****Remark:** Harmful to fish**Additional ecological information:****General notes:**

The product contains materials that are harmful to the environment.

Harmful to aquatic organisms

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation**

Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

**European waste catalogue**

HP3	Flammable
HP4	Irritant - skin irritation and eye damage
HP14	Ecotoxic

(Contd. on page 11)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 05.04.2023

Version number 1

Revision: 05.04.2023

Trade name: ULTRA SCENT VANILLA

(Contd. of page 10)

**Uncleaned packaging:****Recommendation:**

Disposal must be made according to official regulations.

Packaging may be reused or recycled after cleaning.

**SECTION 14: Transport information****14.1 UN number or ID number**  
**ADR, IMDG, IATA**

UN1993

**14.2 UN proper shipping name**  
**ADR**

1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL))

**IMDG**

FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL))

**IATA**

FLAMMABLE LIQUID, N.O.S. (ETHANOL)

**14.3 Transport hazard class(es)****ADR, IMDG, IATA****Class**

3 Flammable liquids.

**Label**

3

**14.4 Packing group**  
**ADR, IMDG, IATA**

III

**14.5 Environmental hazards:**  
**Marine pollutant:**

No

**14.6 Special precautions for user**  
**Hazard identification number (Kemler code):**  
**EMS Number:**  
**Stowage Category**

Warning: Flammable liquids.

30

F-E,S-E

B

**14.7 Maritime transport in bulk according to IMO**  
**instruments**

Not applicable.

**Transport/Additional information:****ADR****Limited quantities (LQ)**

5L

**Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

**Transport category**

3

**Tunnel restriction code**

D/E

(Contd. on page 12)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 05.04.2023

Version number 1

Revision: 05.04.2023

Trade name: ULTRA SCENT VANILLA

(Contd. of page 11)

**IMDG****Limited quantities (LQ)****Excepted quantities (EQ)**

5L

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

**UN "Model Regulation":**

UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)), 3, III

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as amended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

**Directive 2012/18/EU****Named dangerous substances - ANNEX I** Does not contain named substances.**Seveso category P5c FLAMMABLE LIQUIDS****Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t**Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**REGULATION (EU) 2019/1148****Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

(Contd. on page 13)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 05.04.2023

Version number 1

Revision: 05.04.2023

Trade name: ULTRA SCENT VANILLA

(Contd. of page 12)

**National regulations:****Other regulations, limitations and prohibitive regulations****Substances of very high concern (SVHC) according to REACH, Article 57**

It doesn't contain substances of very high concern (SVHC).

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

**Training hints**

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

**Classification according to Regulation (EC) No 1272/2008**

Flammable liquids	Bridging principles
Serious eye damage/irritation Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

**Department issuing SDS:**

**SUSTCHEM** SUSTCHEM S.A.  
 REACH & Chemical Services Department  
 A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece  
 T: +30 210 8252510 | F: +30 210 8252575  
 W: www.sustchem.gr | E: info@suschem.gr

**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 SVHC: Substances of Very High Concern

(Contd. on page 14)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 05.04.2023

Version number 1

Revision: 05.04.2023

**Trade name: ULTRA SCENT VANILLA**

(Contd. of page 13)

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1B: Skin sensitisation – Category 1B

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

—EN—